



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 10    Issue: VI    Month of publication: June 2022**

**DOI: <https://doi.org/10.22214/ijraset.2022.45069>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Study on the Buckling Behaviour of Cold Formed Steel Lipped and Unlipped Column

Anishma A<sup>1</sup>, Anjusha R<sup>2</sup>

<sup>1</sup>Post graduate student (M.Tech Structural Engineering), APJ Abdul Kalam Technological University, Vedavyasa Institute of Technology, Kerala, India

<sup>2</sup>Assistant Professor, Vedavyasa Institute of Technology, Kerala, India

**Abstract:** *In steel construction, cold-formed structural members are becoming more popular and have growing importance. Its growing popularity in building construction is due to its advantages over other construction materials such as lightness and consequent ease of erection and installation, the economy in transportation and handling. They are mostly used in the construction field as both primary and secondary structural members due to their advantageous features such as high strength to weight ratio, easy handling, fast construction, etc. Cold-formed steel is the common term for steel products shaped by cold working processes carried out near room temperature. The objective of this study is to examine the performance of CFS column subjected to loading. Numerical investigations are carried out by using finite element analysis software ANSYS. Using the ANSYS software the buckling behavior of CFS lipped and unlipped columns with different configurations are examined.*

**Keywords:** *Cold formed steel, Lipped column, Unlipped column, Buckling, Deformation*

## I. INTRODUCTION

Now a day, cold-formed steel section, has been widely used in civil engineering as structural elements, all over the world. Cold-formed steel products are the structural members made of thin sheet steel through pressing or rolling at room temperature. Stock bars and sheets of cold-rolled steel are commonly used in all areas of manufacturing. They are mostly used in the construction field as both primary and secondary structural members due to their advantageous features such as high strength-to-weight ratio, easy handling, fast construction, etc. In recent years, there has been a rapid increase in using cold-formed steel in various construction engineering applications for easier fabrication techniques of complex profiles, easier connection and construction with a high capacity to weight ratio, and high strength and stiffness of steel. Cold-formed steel structural members can lead to a more economical design than hot-rolled members. Cold forming procedures are used to create a vast variety of items with a huge variety of shapes, sizes, and applications from steel. In the building sector, cold-formed steel, particularly in the form of thin gauge sheets, is frequently used for structural and non-structural elements such as columns, beams, joists, studs, floor decking, built-up sections, and other parts. Cold-formed steel members have also been used in building structures, transportation machinery, bridges, storage racks, grain bins, car bodies, railway coaches, highway products, transmission towers, transmission poles, drainage facilities, firearms various types of equipment, and others.

Cold-formed steel elements are quality-assured materials that are suitable for mass construction. It exhibits a versatile nature which allows for the forming of almost any section geometry. It exhibits a versatile nature which allows for the forming of almost any section geometry. These sections are usually thinner and can be subject to different modes of failure and deformation and therefore extensive testing is required to provide a guideline for the design of cold-formed thin-walled structural members. Most of the codes of practice for usage of cold-formed steel sections in structural applications, deal only with static conditions of loading. In this paper, the performance of CFS column subjected to loading is evaluated. Numerical investigations are carried out by using finite element analysis software ANSYS 18.1. The analysis is done for lipped and unlipped columns in different configurations to find the deformation, maximum loading and also to find the buckling behavior of columns. Cold-formed steel beams and columns exhibit complicated buckling behavior. Local buckling, distortional buckling, and overall buckling are the three generic forms of buckling. These forms often have different wavelengths and are limited to certain span ranges. Design regulations use either an effective width or an effective thickness for the plate element under consideration in order to account for the impact of buckling.

## II. OBJECTIVE OF PRESENT STUDY

- 1) To analyse the load carrying capacity and deformation behaviour of CFS lipped and unlipped column in different configuration.
- 2) To investigate on the buckling behaviour of CFS lipped and unlipped column in different configuration.
- 3) To determine the best configuration of CFS column.

### III. STAGES INVOLVED IN FINITE ELEMENT MODELLING

#### A. Engineering Data

The material properties of cold formed steel section are explained here.

TABLE I

Youngs modulus	207 GPa
Yield strength	559 MPa
Poisons ratio	0.3
Density	7850kg/m <sup>3</sup>

#### B. Geometry

The sectional details of cold formed steel column are explained here.

TABLE III

DIMENSIONAL DETAILS OF LIPPED SPECIMEN

Specimen	Web dw (mm)	Flange bf (mm)	Lip C (mm)	Length L (mm)	Radius R (mm)	Thickness t (mm)
1	80	40	20	1000	4.73	3.15

TABLE IV

DIMENSIONAL DETAILS OF UNLIPPED SPECIMEN

Specimen	Web dw (mm)	Flange bf (mm)	Length L (mm)	Radius R (mm)	Thickness t (mm)
1	80	40	1000	4.73	3.15

TABLE V

WELDING DETAILS

Material	Thickness t (mm)
Structural steel	3

#### C. Modelling

The models are created using the ANSYS 18.1 software. Four columns with different configurations such as front to front and back to back are used in this study. This configuration is done by means of welding with structural steel material of 3mm thickness.



Fig: 1 Model of lipped column with back to back configuration





Fig: 2 Model of lipped column with front to front configuration






Fig: 3 Model of unlippped column with back to back configuration




Fig: 4 Model of unlippped column with front to front configuration



#### D. Meshing

Meshing is done to reduce the amount of time and effort spent to get to accurate results. Since meshing typically consumes a significant portion of the time it takes to get simulation results, Ansys helps by making better and more automated meshing tools. Here the model is divided into number of Finite elements. A mesh size of 10mm is provided for all the sections.




Fig: 5 Finite element meshing of columns

### E. Setup

In this case load and boundary conditions are applied to the ANSYS model. A displacement controlled vertical loading was applied on a reference point (Fig: 7). On the column Bottom support is kept as fixed support (Fig : 6) in which one of the rotation components is kept free and load is provided on the top support.




Fig: 6 Fixed support at the bottom of columns




Fig: 7 Remote displacements at the top of columns

**F. Solution**

Here results are obtained. The maximum deformation and maximum load are analyzed. The buckling behavior of the columns is also understood from the ANSYS 18.1 shown in Fig: 8.




Fig:8a. Buckling behavior of lipped back to back column




Fig:8b. Buckling behavior of lipped front to front column




Fig:8c. Buckling behavior of unlipped back to back column




Fig:8d. Buckling behavior of lipped front to front column

**G. Results and Discussion**

After the analysis it is understood that the column under goes global buckling on loading. Global buckling is a buckling mode where the member deforms with no deformation in its cross-sectional shape. The load versus deformation graph is shown below. From the analysis it is understood the lipped column with back to back shows less maximum deformation on the loading and also it has the smaller deformation at maximum load comparing to other configurations of column.




Fig:9 Load versus defamtion graph of columns

TABLE VI  
COMPASION OF COLUMN

Configuration	Load (kN)	Deformation(mm)
Lipped Column (Front to front)	8.08	662.22
Lipped column (Back to back)	3.6	749.16
Configuration	Load (kN)	Deformation(mm)
Uipped Column (Front to front)	11.70	562.23
Uipped column (Back to back)	3.7022	725.69

#### IV. CONCLUSIONS

This work deals with the numerical investigation concerning the behaviour of cold-formed steel lipped and unlipped columns. The study and review helped in better understanding of the buckling modes, deformation and maximum load carrying capacity.

- 1) From the analysis it can conclude that lipped back to back configuration column shows greater result compared to other configurations.
- 2) The lipped and unlipped back to back connection has the greatest load carrying capacity compared to front to front connections.
- 3) The back to back configuration column shows low deformation during the maximum load.
- 4) The global buckling behavior is shown in all columns. The

## REFERENCES

- [1] A. P. Nivethitha et al. "Numerical Analysis of Eccentrically Loaded Cold-Formed Plain Channel Columns" *Journal of Structures Volume*, Article ID 908415, 10 pages (2014)
- [2] David C. Fratamico et al. "Experiments on the global buckling and collapse of built-up cold-formed steel columns" *Journal of Constructional Steel Research* 144 65–80 (2018)
- [3] Elham Ghandi et al. "Flexural-torsional buckling of cold-formed steel columns with arbitrary cross-section under eccentric axial load" *Structures* 28 2122–2134 (2020)
- [4] Helder D.Craveiro et al. "Experimental analysis of built-up closed cold-formed steel columns with restrained thermal elongation under fire conditions" *Thin-Walled Structures* 107 page 564–579 (2016)
- [5] Ju Helder D et al. "Buckling resistance of axially loaded cold-formed steel columns" *Thin-Walled Structures* 106 358–375
- [6] Jun Ye et al. (2018) "Local-flexural interactive buckling of standard and optimised cold-formed steel columns" *Journal of Constructional Steel Research* 144 (2018) page 106 – 118 (2016)
- [7] Jessica Whittle et al. "Buckling capacities of axially loaded, cold-formed, built-up C-channels" *Thin-Walled Structures* 47 190–201 (2009)
- [8] Krishanu Roy et al. "Experimental and numerical investigations on the axial capacity of cold-formed steel built-up box sections" *Journal of Constructional Steel Research* 160 (2019) 411–427
- [9] Krishanu Roy et al. "Nonlinear behaviour of back-to-back gapped built-up cold-formed steel channel sections under compression" *Journal of Constructional Steel Research* 147 257–276 (2018)
- [10] Krishanu Roy et al. "Experimental and numerical investigation into the behaviour of face-to-face built-up cold-formed steel channel sections under compression" *Thin-Walled Structures* 134 291–309 (2019)
- [11] M. Adil Dar et al. "Axial compression behavior of laced cold-formed steel built-up columns with unstiffened angle sections" *Journal of Constructional Steel Research* 16-727 (2019)
- [12] M. Adil Dar et al. (2018) "Behaviour of laced built-up cold-formed steel columns: Experimental investigation and numerical validation" *Thin-Walled Structures* 132 398–409
- [13] Ying-Lei Li et al. (2016) "Investigation on flexural strength of cold-formed thin-walled steel beams with built-up box section" *Thin-Walled Structures* 107 66–79
- [14] Young Bong Kwona et al. (2009) "Compression tests of high strength cold-formed steel channels with buckling interaction" *Journal of Constructional Steel Research* 65 (2009) 278 – 289
- [15] Ying Lian et al. "Effect of web holes on web crippling strength of cold-formed steel channel sections under end-one flange loading condition – Part I: Tests and finite element analysis"





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)